


Valvole BRONZO

Cod.

Valvole a sfera a tre vie manovra aT con leva alluminio Valvole a sfera a tre vie manovra aL con leva alluminio



| POS. | DENOMINAZIONE | PART NAME | MATERIALE-MATERIALS MATERIAUX-WERKSTOFF- MATERIAL | N°P |
|------|-----------------------|--------------------|--|-----|
| 1 | CORPO | BODY | OTTONE CW617N UNI EN 12165 | 1 |
| 2 | MANICOTTO | END CONNECTION | OTTONE CW617N UNI EN 12165 | 3 |
| 3 | SFERA | BALL | OTTONE CW617N UNI EN 12165 | 1 |
| 4 | ASTA | STEM | OTTONE CW614N UNI EN 12164 | 1 |
| 5 | BUSSOLA PREMIGUARNIZ. | PACKING GLAND | OTTONE CW614N UNI EN 12164 | 1 |
| 6 | GHIERA | STEM RETAINING NUT | OTTONE CW617N UNI EN 12165 | 1 |
| 7 | LEVA | HANDLE | ALLUMINIO EN-AC 46100 EN 1706 | 1 |
| 8 | GUARNIZIONE SFERA | BALL SEAT | P.T.F.E | 4 |
| 9 | GUARNIZIONE ASTA | STEM SEAL | P.T.F.E | 2 |
| 10 | O-RING | O-RING | NBR | 1 |
| 11 | VITE | SCREW | ACCIAIO CL 04 | 1 |

| MISURA SIZE | DN | ØP | I | L | M | Ch | R | h | U | A | B | C | ØH | Kv | PN | Kg |
|----------------|----|----|------|-------|------|----|-----|-------|------|-----|-----|------|----|------|----|------|
| 1/4" | 8 | 11 | 12,5 | 80,5 | 40,2 | 22 | 134 | 77,5 | 23 | 50 | 8,2 | 11 | 39 | 2,8 | 40 | 0,77 |
| 3/8" | 10 | 11 | 12,5 | 80,5 | 40,2 | 22 | 134 | 77,5 | 23 | 50 | 8,2 | 11 | 39 | 3 | 40 | 0,73 |
| 1/2" | 15 | 11 | 14 | 80,5 | 40,2 | 31 | 134 | 77,5 | 23 | 50 | 8,2 | 11 | 39 | 3,6 | 40 | 0,76 |
| 3/4" | 20 | 15 | 14 | 93,4 | 46,7 | 34 | 170 | 94 | 28 | 60 | 12 | 15,5 | 47 | 6 | 40 | 1,25 |
| 1" | 25 | 20 | 17 | 107,3 | 53,6 | 41 | 205 | 107 | 31,5 | 72 | 14 | 18 | 54 | 11 | 25 | 1,91 |
| 1"1/4 | 32 | 25 | 19 | 118 | 59 | 50 | 205 | 111 | 35,5 | 77 | 14 | 18 | 66 | 16 | 16 | 2,61 |
| 1"1/2 | 40 | 32 | 23 | 141 | 70,5 | 57 | 205 | 117,5 | 43,5 | 83 | 14 | 18 | 80 | 25,5 | 16 | 4,05 |
| 2" | 50 | 40 | 27 | 164 | 82 | 70 | 260 | 132 | 48,3 | 107 | 20 | 25 | 95 | 37,5 | 16 | 6,60 |